



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I (075)

No:- Format1.0/CAC/UAN No.0000084763/CO -2006001180

Date: 26/06/2020

To,
M/s SI Group India Pvt. Ltd.,
Plot No. E-89, MIDC Ranjangaon,
Tal. Shirur, Dist. Pune - 412 220.

Sub: Grant of Consent to 1st Operate for Expansion, renewal of Consent to Operate and amalgamation.

- Ref:**
1. Environment Clearance accorded by Env. Dept., GoM vide No. SEIAA-EC-0000002189 dtd. 04/12/2019.
 2. Previous Consent to Operate accorded by the Board vide No. BO/AS(T)/EIC No. PN-24677-15/O&R/CC-10220 dtd. 13/10/2016.
 3. Consent to Establish accorded by the Board vide No. Format 1.0/CAC-Cell/UAN No. 0000047424/E/5th CAC- 1812000127 dtd. 29/11/2018.
 4. Minutes of Consent Appraisal Committee meeting held on 12/03/2020, 04/05/2020.

Your application No.MPCB-CONSENT-0000084763 Dated 13.12.2019

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the Consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to operate is granted for a period up to 31/03/2025**
2. **The capital investment of the project is Rs.97.75 Crs. (As per C.A Certificate submitted by industry Existing-Rs. 67.55 Crs + Expansion/Increase in C.I. - Rs. 30.20 Crs)**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Maximum Quantity	UOM
Products			
1	Synthetic Resins	2125	MT/M
2	PF Moulding powder	425	MT/M
3	MF Moulding powder	50	MT/M
4	UF Moulding powder	25	MT/M

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	60	As per Schedule-I	Recycle 100% to achieve ZLD
2.	Domestic effluent	35	As per Schedule-I	On land for gardening

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S-1 & S-2	Boilers (2 Nos.)	1	As per Schedule -II
2	S-3	DG Set (320 KVA)	1	As per Schedule -II
3	S-4	DG Set (500 KVA)	1	As per Schedule -II
4	S-5	Process vents (Kneader)	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Coal Ash	3.5	MT/Day	NA	Sale to Brick Manufacturer
2	Cooling Tower Sludge	2	MT/A	NA	Sale to Brick Manufacturer
3	Empty Bags	2	MT/M	NA	Sale to Auth. Party/ Vendor
4	Used Cotton Waste	80	Kg/M	NA	Sale to Auth. Party/ Vendor
5	Metallic Scrap	30	MT/A	NA	Sale to Auth. Party/ Vendor
6	Domestic Paper Waste	100	Kg/Day	NA	Sale to Auth. Party/ Vendor
7	Filer Cloth/ Cartridge Filter	100	No/M	NA	Sale to Auth. Party/ Vendor
8	Miscellaneous Waste (Gasket, Packing, V-Belts, Air Filter, Broken Glass etc.)	50	Kg/M	NA	Sale to Auth. Party/ Vendor
9	Sand from Water Filtration Plant	500	Kg/Annum	NA	Sale to Auth. Party/ Vendor
10	Used Gloves	80	Kg/M	NA	Sale to Auth. Party/ Vendor

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	1.5	KL/M	Recycle	Sale to Auth. Party/ Recycler

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
2	23.1 Wastes or residues (not made with vegetable or animal materials)	240	Kg/Day	Recycle/ Secured Landfill	CHWTSDF
3	33.1 Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	400	No/M	Recycle	CHWTSDF
4	35.3 Chemical sludge from waste water treatment	240	Kg/Day	Secured Landfill	CHWTSDF
5	Used Hand gloves/ Cotton waste etc.	120	Kg/M	Incineration	CHWTSDF

- 8 The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
- 9 This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
- 10 Industry shall operate and maintain ETP and recycle/ reuse 100% treated effluent into process & for cooling tower make to achieve ZLD.
- 11 The applicant shall comply with the conditions of the Environmental Clearance granted vide letter No. SEIAA-EC-0000002189 dtd. 04/12/2019.
- 12 Industry shall extend existing Bank Guarantees towards operation and maintenance of pollution control systems and towards compliance of Consent conditions.



For and on behalf of the
Maharashtra Pollution Control Board.

(E. Ravendiran IAS),
Member Secretary

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	TXN1912001461	17/12/2019	Online Payment
2	50000.00	TXN2001002070	22/01/2020	Online Payment

Payment of Rs. 6,25,000/- received through Transaction No. TXN1912002739 dtd. 31/12/2019 for Renewal of Consent to Operate (UAN No. 0000085945 dtd. 30/12/2019). Balance amount of Rs. 75,000/- will be considered at the time of next Consent application.

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune II
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CC-CAC Desk- for record & website updating purpose



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A) As per your application, you have provided Effluent Treatment Plant (ETP) of designed capacity of 60 CMD consisting of primary, secondary and tertiary treatment for the treatment of 60 CMD industrial effluent.

B) The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent and recycle the entire treated effluent into the process for various purposes such as for cooling, process & Scrubbing so as to achieve Zero Liquid Discharge. There shall be no discharge on land or outside factory premises generated from this unit.

2. A) As per your application, you have provided Sewage Treatment Plant of designed capacity 35 CMD with UASB technology for the treatment of 35 CMD of sewage.

B) The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

1	BOD	Not to exceed	100 mg/l
2	SS	Not to exceed	100 mg/l

C) The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise.

3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.

4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	240.00
2.	Domestic purpose	40.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	5.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	20

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.



SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂ (kg/day)
S-1	Boiler-I	Dust Collector with Wet Scrubber	31	Coal	13MT/Day	0.50	84.00
S-2	Boiler-II	Stack		FO	7.5KL/D	9.00	315.00
S-3	DG Set (320 KVA)	Acoustic Enclosure/ Stack	3.5	HSD	60 Kg/Hr	1.00	29.00
S-4	DG Set (500 KVA)	Acoustic Enclosure/ Stack	5	HSD	110 Kg/Hr	1.00	53.00
S-5	Process vents (Kneader)	Scrubber	6	--	--	--	--

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Parameters	Standards
Total Particulate Matter	Not to exceed 150 mg/Nm ³

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



SCHEDULE-III
Details of Bank Guarantees:

Sr. No	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C2R (With expansion)	1500000	Existing	Towards O & M of pollution control system & compliance of consent to operate	31.03.2025	31.07.2025

****Existing BG obtained for above purpose if any, may be extended for period of validity as above.**

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				



SCHEDULE-IV
General Conditions:

1. The Energy source for lighting purpose shall preferably be LED based
2. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
3. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
4. The applicant shall maintain good housekeeping.
5. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
6. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
7. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
8. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
9. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
10. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
11. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.



Maharashtra Pollution Control Board

5ef5ba2499513b24b0caeca4

12. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
13. The PP shall provide personal protection equipment as per norms of Factory Act
14. Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
15. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
16. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
17. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
18. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
19. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
20. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
21. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
22. The industry should not cause any nuisance in surrounding area.
23. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
24. The industry shall create the Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.
25. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.



Maharashtra Pollution Control Board

5ef5ba2499513b24b0caeca4

26. The industry should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
27. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
28. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
29. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
30. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
31. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
32. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
33. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.