




# UDICELL and EXACTFLO Filters

Product Line Overview



**ASKCHEMICALS**  
We advance your casting



# Improve Performance via Cleaner Metal

The ASK Chemicals name has represented superior quality, excellence and innovation within the metal filtration market for over three decades. Our engineers developed fully sintered reticulated ceramics in the early 1980's and ever since metal casters have enjoyed new dimensions in filtration for higher temperature alloys worldwide with our filter brands UDICELL and EXACTFLO.

ASK Chemicals offers a complete filter-portfolio consisting of traditional-formulations and custom designs to accommodate any metal application requirement. UDICELL and EXACTFLO reticulated ceramics – world renowned for their quality – represent the pinnacle brand in the industry. Produced to the very highest standards and using only the finest materials, this filter excels in terms of performance, quality and consistency. With in-house production we guarantee customer satisfaction and constant innovation: custom shapes, edge coating and breakthrough filtration units for large steel and iron castings.

At ASK Chemicals we ultimately believe in offering our customers more than great products. In addition, we place equal importance on services in order to maximize customer value. This holistic approach includes three industry leading value-added services: Technical Services, Design Services, Research and Development. Enhancing your profitability is our primary goal. Our services, integrated seamlessly alongside our filtration offerings, will help ensure we meet this goal.

- Developed fully sintered reticulated ceramics (legacy)
- Over 30 years of innovation
- Highly controlled in-house production
- Custom solutions
- Holistic value-added services

# Basic Information

## Filter Families

### ➤ UDICELL

Top-quality filters for steel and iron casting, non-ferrous metals and high temperature alloys and/or large and heavy castings.

### ➤ EXACTFLO

Cost-effective filters for removing impurities in ferrous and non-ferrous metals.

### ➤ EXACTFILL housing systems


Filter housing systems with UDICELL filters offering optimum filtration efficiency for heavy steel and iron castings

## Filter material selection


Recommended metal type → **StL**  
Recommended pore sizes → **10 – 15**

Metal type	Filter material			
	Zirconia	Alumina	Silicon carbide	Carbon bonded
Steel ( <b>StL</b> )	■			■
Iron ( <b>GI, DI</b> )	■		■	■
Aluminum ( <b>Al</b> )		■	■	
Brass / Bronze / Copper ( <b>BBC</b> )	■	■	■	
Superalloys ( <b>Ni, Co</b> )	■	■		


## Pore size selection




10 ppi



15 ppi



20 ppi



30 ppi


Metal type	Pore size			
	10 ppi	15 ppi	20 ppi	30 ppi
Steel ( <b>StL</b> )	■	■		
Ductile iron ( <b>DI</b> )	■	■		
Gray iron ( <b>GI</b> )			■	■
Aluminum ( <b>Al</b> )	■	■	■	■
Brass / Bronze / Copper ( <b>BBC</b> )	■	■	■	■

### Customer-specific solutions and availability of individual products

Besides the solutions referred to in this brochure, ASK Chemicals also offers customer-specific solutions that take account of your individual processes. The availability of individual products may be regionally restricted. Please contact us to discuss your specific requirements.

# UDICELL Zirconia Filters

Maximum chemical, thermal and mechanical stability



UDICELL filters are fully sintered reticulated ceramic filters made of partially stabilized zirconia (PSZ). These filters are especially suited to use in steel and iron foundries. UDICELL filters provide optimum consistency and performance under maximum stress. UDICELL filters are a cost-effective means of reducing castings defects. These filters are manufactured to a size of currently Ø 300 mm.

## Benefits: PSZM (pure white)


- Highest chemical purity
- Open pore structure
- For extreme temperatures and pressure loads

## Benefits: PSZT (buff)

- High thermal efficiency
- Open pore structure
- For high demands

### Zirconia for extreme stresses

UDICELL foam ceramic filters provide superior thermo-shock resilience as well as resistance to chemical and mechanical stress during pouring. In fact, UDICELL zirconia filters are capable of withstanding temperatures greater than 1,700 °C (3,092 °F). This capability achieves optimum filtration of metals in the most extreme conditions.



Filter size		Ledge size		Flow rate		Capacity			
inch	mm	inch	mm	kg/sec	lb/sec	kg		lb	
						LCLA	SS	LCLA	SS
DIA 2x0.75	DIA 50x20	0.20	5	3	7	30	44	66	97
DIA 3 x 1.00	DIA 75x25	0.30	7	6	13	68	100	150	220
DIA 4 x 1.00	DIA 100x25	0.35	9	13	29	122	177	268	389
DIA 5 x 1.25	DIA 125x30	0.45	11	19	42	190	277	418	609
DIA 6 x 1.25	DIA 150x30	0.50	12	28	62	274	398	603	876
DIA 7 x 1.25	DIA 175x30	0.55	14	42	92	373	542	821	1,192
DIA 8 x 1.50	DIA 200x38	0.65	16	50	110	487	708	1,071	1,558
2x2x0.75	50x50x20	0.30	5	4	9	39	56	86	123
3x3x1.00	75x75x25	0.30	7	8	18	87	127	191	279
4x4x1.00	100x100x25	0.35	9	14	31	155	225	341	495
5x5x1.25	125x125x30	0.45	11	24	53	242	335	532	737
6x6x1.25	150x150x30	0.50	12	36	79	349	507	768	1,115
7x7x1.25	175x175x30	0.55	14	53	117	475	690	1,045	1,518
8x8x1.50	200x200x38	0.65	16	64	141	620	902	1,364	1,984

SS = stainless steel, DIA = Outer diameter, LCLA = Low Carbon Low Alloy Steel  
The details supplied should be regarded as reference values and not warranted values. Extract from the product range.  
Further sizes and shapes are available on request. Please also refer to our technical data sheets.

# UDICELL Carbon Bonded Filters

The ideal filter for temperature-critical applications




ASK Chemicals carbon bonded filters are used for ferrous alloys where a filter with a low heat absorption capacity (heat loss from the melt) is required. The carbon bonded filters provide minimum loss of heat with filtration effectiveness. The low percentage of carbon minimizes any possible carbon pick-up. UDICELL carbon bonded filters can be engineered in a variety of shapes, with a maximum dimension of Ø 300 mm (approx 12").

## Benefits

- Ideal for temperature-critical applications
- Efficient filtration
- Available in round & square design

Stop waiting: don't give heat loss a chance!

Blocking filters due to heat loss from the melt difficulties are worse than annoying. Too much energy is removed from the molten metal, with the metal remaining, as it were, stuck in the filter. With UDICELL carbon bonded filters, their material composition and open pore structure means that you bypass this problem. The result is fast, even flow, alongside more predictable mold-filling times.



Filter size		Ledge size		Capacity	
inch	mm	inch	mm	kg/LCLA	lb/LCLA
DIA 2x0.75	DIA 50x20	0.20	5	39	86
DIA 3 x1.00	DIA 75x25	0.30	7	88	194
DIA 4x1.00	DIA 100x25	0.35	9	159	349
DIA 5x1.25	DIA 125x30	0.45	11	247	543
DIA 6x1.25	DIA 150x30	0.50	12	356	784
2x2x0.75	50x50x20	0.20	5	51	112
3x3x1.00	75x75x25	0.30	7	113	249
4x4x1.00	100x100x25	0.35	9	202	443
5x5x1.25	125x125x30	0.45	11	315	692
6x6x1.25	150x150x30	0.50	12	454	998

DIA = Outer diameter, LCLA = Low Carbon Low Alloy Steel

The details supplied should be regarded as reference values and not warranted values. Extract from the product range. Further sizes and shapes are available on request. Please also refer to our technical data sheets.

# EXACTFLO Pressed Filters

## Pressed filters for improved quality




EXACTFLO pressed filters are ideally suited for both gray and ductile iron, as well as non-ferrous metals. EXACTFLO filters have a highly repeatable cell structure to ensure a constant molten metal flow. They exhibit both chemical inertness and mechanical strength while providing a thermal robustness with alloys up to 1,450°C (2,650°F), or up to 1,700 °C (3,092 °F) in the special version designed for steel.

## Benefits

- Engineered to ensure consistency
- Reduces trapped gas
- Non-abrasive mould insertion
- Available with round and square pores

### Benefits of pressed or extruded filters from ASK Chemicals

EXACTFLO pressed and extruded filters offer the user dimensional accuracy and controlled metal flow along with excellent strength properties & thermal resistance.




Filter size		Holes	Flow rate				Capacity			
inch	mm		kg/sec		lb/sec		kg		lb	
		size	DI	GI	DI	GI	DI	GI	DI	GI
1.5x1.5x0.5	37x37x12.5	2.3 mm	1.6	3.3	3.6	7.2	21	42	46	92
2x2x0.5	50x50x12.5	2.3 mm	3.0	6.0	6.6	13.2	38	76	84	168
2.17x2.17x0.5	55x55x12.5	2.3 mm	3.8	7.5	8.3	16.6	47	94	103	206
2.6x2.6x0.5	66x66x12.5	2.3 mm	5.5	11.0	12.1	24.2	69	138	152	304
2.95x2.95x0.5	75x75x12.5	2.5 mm	6.3	12.5	13.8	27.6	99	198	218	436
3.2x3.2x0.5	81x81x12.5	2.5 mm	7.9	15.8	17.4	34.8	125	250	275	550

The details supplied should be regarded as reference values and not warranted values. Extract from the product range. Further sizes and shapes are available on request. Please also refer to our technical data sheets.

# EXACTFLO

## Silicon Carbide Filters

Silicon carbide filters for increased cleanliness




EXACTFLO SiC filters are ideally suited to both gray and ductile iron, as well as non-ferrous metals. EXACTFLO SiC filters are characterized by their highly porous, open structure. This structure results in the efficient removal of oxide inclusions. EXACTFLO SiC filters exhibit chemical inertness and mechanical strength while providing thermal robustness up to 1,500°C (2,732°F).

### Benefits

- Reduction in non-ferrous inclusions
- Decrease in turbulence
- Improvement in casting machinability

#### Reduction of turbulence in the pouring system

EXACTFLO silicon carbide filters provide little turbulence during metal pouring. This has several advantages including the assurance of less gas absorption (i.e. oxidation). This results in lower rejection rates, less reworking, improved surfaces and increased cost effectiveness.



Filter size		Ledge size		Flow rate		Capacity			
inch	mm	inch	mm	kg/sec	lb/sec	kg		lb	
						DI	GI	DI	GI
DIA 2x0.75	DIA 50x20	0.20	5	3	7	39	78	86	172
DIA 3 x 1.00	DIA 75x25	0.30	7	6	13	88	176	194	387
DIA 4 x 1.00	DIA 100x25	0.35	9	13	29	157	314	345	691
DIA 5x1.25	DIA 125x30	0.45	11	19	42	245	490	539	1,078
DIA 6x1.25	DIA 150x30	0.50	12	28	62	353	706	777	1,553
1.5x1.5x0.5	38x38x13	0.20	5	2	4	29	58	64	128
2x2x0.75	50x50x22	0.20	5	4	9	50	100	110	220
2.17x2.17x0.5	55x55x13	0.20	5	4	9	60	121	132	266
2.4x2.4x0.75	60x60x22	0.30	7	6	13	72	144	158	317
3x3x0.75	75x75x22	0.30	7	8	18	112	225	246	495
4x4x0.75	100x100x22	0.35	9	14	31	200	400	440	880
5x5x1.25	125x125x30	0.45	11	24	53	312	625	686	1,375
5.25x5.25x0.75	134x134x22	0.45	11	28	62	359	718	790	1,580
6x6x1.25	150x150x30	0.50	12	36	79	450	900	990	1,980

DIA = Outer diameter

The details supplied should be regarded as reference values and not warranted values. Extract from the product range. Further sizes and shapes are available on request. Please also refer to our technical data sheets.



# UDICELL EXACTFILL Housing System for tubular filters

## Filtration system for large steel and iron castings




The EXACTFILL housing system can be easily integrated in an existing pouring system comprising chamotte and fire-resistant pipes. Assembly of multiple housings, even at various levels, permits the pouring of very large castings. The EXACTFILL housing has two outlets so that either the top or bottom can be closed off or both outlets can be used. This feature eliminates the need for left or right hand versions. These housings can also be installed horizontally.

## Benefits

- Self supporting geometry
- Quick installation and easy to use with minimum involvement in the circulation
- Very compact in size and construction

### Redefinition of filtration coverage

The UDICELL EXACTFILL housing system features a specially adapted XL cylindrical UDICELL zirconia filter – the first of its kind. One of these filters will replace three standard filters, while at the same time minimizing the chance of any filter damage. Compared to similar units that use multiple filters, this XL cylindrical version offers easy assembly with extreme system safety, which improves not only filtration effectiveness but also assembly time, ultimately reducing cost.



Filter housing	Filter size		Diameter inlet/outlet		Filter Area (out-side)	Capacity			
	inch	mm	inch	mm		kg		lb	
					cm <sup>2</sup>	DI	StL	DI	StL
EXACTFILL 150/60	6 OD x 3.5 ID x 6 H	150 OD x 90 ID x 150 H	2.36	60	707	2,000–3,000	1,000–2,000	4,400–6,600	2,200–4,400
EXACTFILL 150/80	6 OD x 3.5 ID x 6 H	150 OD x 90 ID x 150 H	3.15	80	707	2,000–3,000	1,000–2,000	4,400–6,600	2,200–4,400
EXACTFILL 200/80	6 OD x 3.5 ID x 8 H	150 OD x 90 ID x 200 H	3.15	80	942	2,500–4,500	1,500–3,500	5,500–9,900	3,300–7,710
EXACTFILL 300/100	7 OD x 4.3 ID x 12 H	180 OD x 110 ID x 300 H	4.7/2 x 4	120/2 x 100	1,697	3,500–10,000	3,000–6,500	6,500–20,000	6,000–13,000

OD = Outer diameter, ID = Inner diameter, H = Height

The details supplied should be regarded as reference values and not warranted values. Extract from the product range. Further sizes and shapes are available on request. Please also refer to our technical data sheets.



# Added Value for our Customers

## Application technology and technical sales – for complete process transparency

Application technology and technical sales at ASK Chemicals offer our customers comprehensive expertise in all areas of foundry technology and metallurgy. We offer a comprehensive service that focuses on the production process as a whole and helps customers not only to cut costs but also to enhance their processes. ASK Chemicals also conducts casting defect analyses and offers its customers the opportunity to have tailored training sessions on the customer's own premises.

### Benefits

- Improved decision-making-thanks to greater transparency
- Reliable recommendations
- Quick response
- Customized solution development
- Cost-in-use reporting (i.e. savings)
- Casting defect analyses
- On-site training sessions

### EXACTCALC

EXACTCALC software, which is exclusive to ASK Chemicals, was specifically designed to assist the foundry engineer with riser and gating system design. With EXACTCALC you will receive critical and comprehensive calculations: casting weight, modulus, riser feeding distance, riser size, riser neck contact dimensions, gating system dimensions and filter size.

#### Benefits

- Accurate recommendations
- Customizable “learning feature” specific to your foundry
- Printable results



## Design Services – for perfect casting results

Our Design Services team monitors the entire process from the development of the design concept and validation right up to the production of the cast part prototype. Our engineers have a wide range of experience and a clear understanding of all aspects of foundry technology and metallurgy. Our Design Services team has the right combination of design, production and simulation expertise, co-operates with external companies and service providers, and enjoys extensive industry experience. ASK Chemicals' simulation service offers wide-ranging technical knowledge and understanding combined with state-of-the-art simulation programs (MAGMA, Novacast, FLOW-3D and Arena-Flow®).

### Benefits



- Higher productivity and optimized catalyst consumption
- Manufacturing process design, including inorganic technology
- Calculation of optimal feed
- Optimized design and manufacture of model plates, core boxes and molds
- Less scrap
- Shorter product launch times
- Quicker time to market

### Simulation services

The simulation of casting processes provides foundries with invaluable casting mold information. Specifically, this benefit allows for the optimization of gating and feeding systems, overflows, venting design and risers. Moreover, it provides critical insight into the influences and effects directly related to casting integrity, such as cooling and heating measurements, filling and solidification times.

### From the idea to the prototype

ASK Chemicals supports your entire process from the concept to prototype production. Your benefit: you enjoy wide-ranging expertise from a single source.



## Research and development – for innovation near you

Our Research and Development department performs both innovation-driven groundwork as well as market and customer-driven development. Interaction between these three areas is of fundamental importance in terms of offering our customers technologically sophisticated products and efficiency-enhancing solutions at all times. Through close cooperation and the constant exchange of ideas with our application technology and technical sales specialists, research and development at ASK Chemicals is always in tune with the market and also maintains a presence on the customer's own premises.

### Benefits

- Many years of experience
- Global presence and availability
- Comprehensive knowledge of the regional sand types and technological requirements
- Short response times for our customers
- First-class equipment

### Comprehensive research and development services

#### Pilot foundry

- Fully equipped research foundry
- Mold production, mold/core package assembly and casting
- "Real world" foundry process representation

#### Metallurgical investigations

- Comprehensive examination of the graphite structure and metallic matrix: graphite size, number of nodules, degree of dispersion, nodularity, ferrite/pearlite ratio
- Preparation of metallurgical reports

#### Sand laboratory

- Examination of high-temperature materials
- Testing of tensile strength, compression and transverse loading
- Sand characterization and analysis

#### Product development and technical support

- Casting defect analysis
- Full spectrum chemical and polymer analysis
- Product, process and test method development



The following marks are registered by ASK Chemicals GmbH, ASK Chemicals Metallurgy GmbH or ASK Chemicals LP in one or more countries:

ALPHASET, ASKOBOND, ASKRONING, ASKURAN, BERANOL, BETASET, CERAMCOTE, CHEM-REZ, DENODUL, DISPERSIT, EXACTCALC, EXACTCAST, EXACTFLO, ECOCURE, ECO-PART, GERMALLOY, INFORM, INOBAKE, INOSOLVE, INOTEC, ISOCURE, ISO-FAST, ISOMAX, ISOSEAL, ISOVENTS, LINO-CURE, MAGNASET, MIRATEC, NOVACURE, NOVANOL, NOVASET, OPTIGRAN, OPTINOC, PEP SET, REMMOS, SMW-INSERT, SOLITEC, STA-HOT, UDICELL, VEINO, VEINO ULTRA, VELVACOAT, ZIP CLEAN, ZIP SLIP.

Please contact ASK for any questions concerning the usage of these marks.

#### **ASK Chemicals GmbH**

Reisholzstraße 16–18  
40721 Hilden, Germany  
Phone: +49 211 71 103-0  
Fax: +49 211 71 103-70  
info@ask-chemicals.com  
www.ask-chemicals.com

Ulrich Voigt  
Phone: +49 173 7270607  
Ulrich.Voigt@ask-chemicals.com

This information is based on our current state of knowledge and does not represent assurance of the properties of the products described. We are only liable for product-related advice and information within the scope of duties or disclosure included in collateral contractual agreements unless expressly agreed otherwise. (12/17)

