



EC-COMPLIANCE/DEC/2022(R2)

Date: 15.01.2023

To,

The Regional Office,

Ministry of Env., Forest and Climate Change

Regional Office (WCZ), Ground Floor East Wing, New Secretariat
Building, Civil Lines, Nagpur-440001

Subject: Submission of Periodical Environment Clearance compliance report (Six monthly for DEC 2022). And pertains to transfer of EC.

Reference: 1) EC Letter Number: SEIAA-EC-0000002189, dated 4 Dec 2019.

2) EC Letter Number: SIA/MH/IND3/243335/2021, dated 12 April 2022 pertains to transfer of EC.

Respected Madam/Sir,

This is with reference the above subject matter we, **ASK Chemicals India Pvt. Ltd**, submitting herewith our periodical (Six monthly for Dec 2022) compliance report for your kind perusal.

However, we have received EC transfer letter and copy of the same is attached along with periodical compliance pertains to EC.

Organization has obtained EC for Increase in production capacity for Synthetic Resin, vide letter no. SEIAA-EC-0000002189, dated December 4, 2019. Hence our total capacity is as below, it includes previous approved quantities vide our previous EC letter no. SEIAA-EC-0000002189, dated 4 Dec 2019.

However, we have obtained consent to operate from state pollution control board accordingly for above quantities on dated 25.06.2020 vide consent number-2006001180 and it is valid up to 31.03.2025.

The detailed compliance report along with data sheet is attached herewith for your kind perusal.

We assure for the environmental compliances proactively & submit the report to all concerns.

Thanking You,

For **ASK Chemicals India Pvt Ltd,**



Authorized Signatory



Enclosed: 1. Compliance report in details.

2. Annexures Mentioned in EC Compliance

3. Env. Clearance (SI Group)

4. EC transfer letter copy


5. Production Data

Monitoring the Implementation of Environmental Safeguards
Ministry of Environment, Forest & Climate Change
Regional Office (West Central Zone), Nagpur
Monitoring Report
Part – I
DATA SHEET

1.	Project Type: River-valley / Mining / Industry / Thermal / Nuclear / Other (Specify)	Industry
2.	Name of the Project	ASK Chemicals India Pvt Ltd, E-89, MIDC Ranjangaon, Tal. Shirur, District Pune. EC obtained for Synthetic Resin (Synthetic Resin -2125 MT/M, PF Moulding Powder - 450 MT/M, MF Moulding Powder-50 MT/M & UF Moulding Powder - 25 MT Total capacities).
3.	Clearance Letter (s) / OM No. and date	SEIAA-EC-0000002189, dated December 4, 2019 SIA/MH/IND3/243335/2021, dated 12 April 2022
4.	Location	
	a. District (s)	Pune
	b. State (s)	Maharashtra
	c. Latitude	18°46'57.72"N
	d. Longitude	74°16'46.39"E
5.	Address for correspondence	ASK Chemicals India Pvt Ltd, E-89, MIDC Ranjangaon, Tal. Shirur, District Pune
	a. Address of concerned Project Chief Engineer (with Pin Code & Telephone/ Telex/ Fax Numbers):	ASK Chemicals India Pvt Ltd, E-89, MIDC Ranjangaon, Tal. Shirur, District Pune 02138-611207
	b. Address of Executive Project Engineer / Manager (with pin code/fax numbers)	-
6.	Salient features	
	a. Of the Project	EC obtained for Synthetic Resin -2125 MT/M, PF Moulding Powder - 450 MT/M, MF Moulding Powder-50 MT/M & UF Moulding Powder - 25 MT Total capacities.
	b. Of the Environmental Management Plan	<ul style="list-style-type: none"> • Water –All the Wastewater is being treated at ETP treatment and being taken in to use for cooling purposes and achieved ZLD since 2012, continuous improvements are being focused & remarkable achievements are on record. • Air – <ul style="list-style-type: none"> ❖ Air Pollution control systems are provided for boiler. ❖ Online monitoring system installed for boiler stack air emission -SPM. Also, third party Monitoring is being carried out & reports are maintained for the same. ❖ The company is carrying out air quality monitoring including SPM and SO2 levels both for work zone and ambient air periodically. ❖ Ambient air monitoring is done for 4 locations and work zone for 4 locations periodically. Also, phenol & formaldehyde are monitored for the process area • Waste (HZW & Non HZW) – Waste is segregated and stored in the identified, safe storage area /rooms/containers and same is being sent to the hazardous waste disposal site - CHWTSDF &



		<p>Authorized recycler / re-processor.</p> <ul style="list-style-type: none"> • Noise- Noise monitoring is being done for all respective area locations and ensure the noise levels are below the limits-Reports for the same are maintained. • Green belt development – All the respective green belt pockets are covered with green belts and additional saplings are planted on the same area. More than 1200 trees are grown up on the field. • Solar power generation – we have installed 999 KW solar power generation facility. 																														
7.	Breakup of the Project area																															
	a. Submergence Area: Forest & Non Forest	-																														
	b. Others	-																														
	a. Total Plot Area	48150 Sq. mtrs.																														
	b. Built - Up Area (Including Road)	23722.48 Sq. mtrs.																														
	c. FSI area	0.56 (Consumed)																														
	d. Non – FSI Area	-																														
8.	<p>Breakup of the Project affected population with enumeration of those losing houses/dwelling units only, agricultural land only, both dwelling units & both dwelling units & agricultural land & landless laborers/artisan</p> <p>a. SC, ST/Adivasis</p> <p>b. Others</p> <p>(Please indicate whether these figures are based on any scientific and systematic survey carried out or only provisional figures, if a survey carried out gives details and years of survey.)</p>	NA																														
9.	<p>Financial Details</p> <p>a. Project costs as originally planned & subsequent revised estimates and the year of price reference.</p>	<p>Existing-67.55 Crs.</p> <p>Expansion- 30.20 Crs.</p>																														
	b. Allocations made for Environmental Management Plan with item wise & year wise breakup.	<p>Environmental Capital Budget - 2022</p> <table border="1"> <thead> <tr> <th>Sr. No.</th><th>Particulars</th><th>Cost in lakh's</th></tr> </thead> <tbody> <tr> <td>1</td><td>Environment Monitoring</td><td>6.9</td></tr> <tr> <td>2</td><td>ETP & STP operation and maintenance /upgradation</td><td>18.0</td></tr> <tr> <td>3</td><td>HZW & non HZW Handling & disposal</td><td>8.2</td></tr> <tr> <td>4</td><td>APC unit Maintenance and services</td><td>4.5</td></tr> <tr> <td>6</td><td>Capex for environment equipment's</td><td>50.0</td></tr> <tr> <td>8</td><td>CER & CSR projects and expenditures</td><td>5.0</td></tr> <tr> <td>9</td><td>Experts & Professionals fees</td><td>3.0</td></tr> <tr> <td>10</td><td>Legal & other charges</td><td>1.4</td></tr> <tr> <td></td><td>Total</td><td>97.0</td></tr> </tbody> </table>	Sr. No.	Particulars	Cost in lakh's	1	Environment Monitoring	6.9	2	ETP & STP operation and maintenance /upgradation	18.0	3	HZW & non HZW Handling & disposal	8.2	4	APC unit Maintenance and services	4.5	6	Capex for environment equipment's	50.0	8	CER & CSR projects and expenditures	5.0	9	Experts & Professionals fees	3.0	10	Legal & other charges	1.4		Total	97.0
Sr. No.	Particulars	Cost in lakh's																														
1	Environment Monitoring	6.9																														
2	ETP & STP operation and maintenance /upgradation	18.0																														
3	HZW & non HZW Handling & disposal	8.2																														
4	APC unit Maintenance and services	4.5																														
6	Capex for environment equipment's	50.0																														
8	CER & CSR projects and expenditures	5.0																														
9	Experts & Professionals fees	3.0																														
10	Legal & other charges	1.4																														
	Total	97.0																														



	c. Benefit Cost Ratio / Internal rate of Return and the year of assessment.	-
	d. Whether (c) includes the cost of Environmental Management as shown in the above.	-
	e. Actual expenditure incurred on the Project so far	21.30 Crs
	f. Actual expenditure incurred on the Environmental Management Plan so far	02.10 Crs
10.	Forest land requirement	
	a. The status of approval for diversion of Forestland for non-forestry use	NA
	b. The Status of clearing felling	NA
	c. The status of compensatory Afforestation programme in the light of actual field experience	NA
11.	The status of clear felling in non-forest areas (such as submergence area of reservoir, Approach roads), if any with quantitative information	NA
12.	Status of construction	
	a. Date of commencement (Actual and/or Planned)	16/01/2020
	b. Date of completion (Actual and/or Planned)	31/03/2021
13.	Reasons for the delay if the project is yet to start	-
14.	Dates of site visits	
	a. The dates on which the Project was monitored by Regional Office on previous occasions, if any	-
	b. Date of site visit for this monitoring Report	04 July 2019 (On obtaining EC for expansion dated 04 Dec 2019, the site visit is yet not scheduled)
15.	Details of correspondence with project authorities for obtaining action plan / information on status of compliance to safeguards other than the routine letters for logistic support for site visit. (The monitoring report may obtain the details of all the letters issued so far but the later reports may cover only the letters issued subsequently)	Periodical (Six monthly) compliance reports submitted to RO office. Letters for site visit is yet to submit after obtaining EC for expansion i.e 04 Dec 2019.



**A Report on Compliance of Conditions in the Environmental Clearance
(EC) issued by SEIAA, Environment Department, Maharashtra for proposed Expansion in
capacity**

A. Brief Summary of the Project

1. **Name of Project** : ASK Chemicals Ltd. (ASKCL)
2. **Clearance Letter No. & date** : 1. EC letter No. SEIAA-EC – 0000002189 dated 04.12.2019
2. EC letter no. SIA/MH/IND3/243335/2021 dated 12.04.2022
3. **Location: District & State/UT** : Dist.: Pune, State: Maharashtra.
4. **Address for Correspondence** : Plot No. E-89, MIDC Ranjangaon, Nagar Road, Tal.: Shirur, Pune - 412220

Preamble:

ASK Chemicals India Pvt Ltd. Ranjangaon plant is Synthetic Resins manufacturing unit of capacity 2625MT/month located at, E-89, MIDC -Ranjangaon, Tal-Shirur, Dist.-Pune (MS). For the existing project EC was procured from State Level Environment Impact Assessment Authority (SEIAA), Maharashtra vide no. SEIAA-EC – 0000002189 dated 04.12.2019. Copy of Environmental Clearance (EC) letter is enclosed at **Enclosure – I**. As per EC granted, MPCB Consent to Operate (CTO) vide No.: Format 1.0/CAC/UAN No. 0000084763/CO-2006001180 dated 26.06.2020 granted for production of Synthetic Resins, PF Moulding Powder, MF Moulding Powder & UF Moulding Powder. Copy of consents is presented at **Enclosure - II**. However, as per market demand; industry have been taking production of only two products viz. Synthetic Resins, PF Moulding Powder. Production data for last 3 years are presented at **Enclosure – III**.


A. Status of Compliance of EC Conditions :

Compliance of terms & conditions mentioned in Environmental Clearance (EC) letter no. SEIAA-EC – 0000002189 dated 04.12.2019 granted for proposed expansion in capacity is presented as follows-

No.	Environmental Clearance Conditions	Compliance towards the Conditions Stipulated
A	Specific Condition	
1.	Condition No. I PP to prepare all safety related training modules in Marathi so as to increase its effectiveness.	Industry has prepared various safety related training modules in Marathi /local languages. Training and Mock drills are conducted for employees working in industry once in year on safety and health aspects of chemical handling. Training



No.	Environmental Clearance Conditions	Compliance towards the Conditions Stipulated
		and Mock drills records is enclosed at Annexure-I.
2.	Condition No. II PP to prepare and implement CER plan in consultation with the District Authority as per OM issued by MoEF&CC dated 01.05.2018.	Industry have allocated Rs. 0.15 Cr. under CER activities to maintain trees in the dedicated plot area in MIDC as requested by MIDC, Provision of drinking water facility at school & nearby villages, Infrastructure facility for Gray water treatment, in Consultation with District authority. Time bound action plan and photographs of CER activities done till date are enclosed at Annexure- II.
3.	Condition No. III PP to ensure that CER plan get approved from District Collector.	Industry have prepared & submitted CER implementation plan for approval from District Collector. The proposal is forwarded to SDO -Pune for site visits and further recommendation. Copy of the same is attached at Annexure – III. However, industry have already taken up the work as per the plan submitted to DM office.
4.	Condition No. IV PP to ensure to comply with the conditions stipulated in the Office Memorandum issued by MoEF & CC dated 9th August 2018.	Compliance of the conditions mentioned in OM dated 09.08.2018 & applicable to ASKCL is attached at Annexure - IV
B.	General Conditions	
1.	Condition No. I PP to achieve Zero Liquid Discharge; PP shall ensure that there is no increase in the effluent load to CETP.	Total effluent generated from manufacturing plant is 60 CMD & same is forwarded to the ETP provided in the industry premises comprising of primary, secondary & tertiary unit operations. The treated effluent from ETP is used for green belt watering in premise thereby achieving Zero Liquid Discharge (ZLD). By achieving ZLD ASKCL ensures that there will not be any increase in pollution load to CETP



No.	Environmental Clearance Conditions	Compliance towards the Conditions Stipulated
2.	Condition No. 2 No additional land shall be used /acquired for any activity of the project without obtaining proper permission	No additional land has been used / acquired for any activity of the project without obtaining prior permission as on today. If there is any plan of expansion; the protocol as per EIA notification 2006 & subsequent amendments will be followed.
3.	Condition No. 3 PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.	Industry is certified with ISO 9001, 14001, ISO 45001 by which compliance is being ensured and continual improvement programs have been conducted for every area. IMS certificates are attached at Annexure – V However, industry follows international corporate guideline for EHS. Also, industry has a OHC with one doctor & assistant staff and it conducts health checkup camp for all workers once in a year. PPEs are provided to all workers during working hours. Latest health checkup camp was carried out on 20.06.2022. Reports are enclosed at Annexure - VI . The record of the same is maintained on site.
4.	Condition No. 4 Proper Housekeeping programmers shall be implemented.	Housekeeping protocols are strictly observed in the industry. Also, '5'S' i.e. Sort, Set in Order, shine, Standardize & Sustain are being implemented & periodical review on the same along with audits is being conducted. Details of checklist for housekeeoing & 5'S' area attached at Annexure – VII .
5.	Condition No. 5 In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.	Continuous electricity is supplied by providing DG Set to pollution control system. In case of power failure situation, industrial activities are immediately shut down along with pollution control system. Also, industry have the Emergency Control Procedure & same is followed during such situations.



No.	Environmental Clearance Conditions	Compliance towards the Conditions Stipulated
6.	Condition No. 6 A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).	DG sets having capacities of 320 KVA & 500 KVA with HSD as fuel @ 20 lit/Hr. respectively are installed onsite. Only during power failure, DG sets are operated. Height of 3.5 M & 5 M (ARL) is provided for controlling emissions. Acoustic enclosures are provided to control noise pollution.
7.	Condition No. 7 A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.	Industry has Implemented Rain water Harvesting system. During Monsoon season rainwater is being collected in tank of capacity 20 KL which is lifted continuously by using pump to raw water storage tank of capacity 200 KL. The harvested water is used for the plant & gardening purpose. Photograph of the same is enclosed at Annexure – VIII .
8.	Condition No. 8 Arrangement shall be made that effluent and storm water does not get mixed.	The compliance is already followed by the industry. The Effluent generated at various location are being transferred through closed pipeline up to ETP Storm water collection and conveyance arrangement through separate gutters has been provided in the premises. The storm water is discharged at lowest point in the premises of industry and through percolation and infiltration it enriches the ground water table. Therefore mixing of water don't take place on site. Requisite arrangements are provided by the Industry as per designed.
9.	Condition No. 9 Periodic monitoring of ground water shall be undertaken, and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.	Not applicable. Due to stipulated norms of MIDC, industries are not allowed to withdraw or recharge the ground water within the premises. Hence, source of ground water (borewell/other any source) is not present in industry premises.
10.	Condition No. 10 Noise level shall be maintained as per standards. For people working in the high	The overall noise levels in and around the plant area are maintained within the



No.	Environmental Clearance Conditions	Compliance towards the Conditions Stipulated
	noise area, requisite personal protective equipment like earplugs etc. shall be provided.	standards prescribed under Environment (Protection) Act, 1986, 1989 Rules. Workers working in noisy area are provided with personal protective Equipments such as ear plug, ear muffs etc. Monitoring reports of ambient & work zone noise levels are enclosed at
11	Condition No. 11 The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.	Annexure - IX. Major noise generating source at integrated project complex are DG sets, blowers, etc. All preventive measures such as regular operation & maintenance of pumps, motors, and compressors is carried out and acoustic enclosures are provided to abate noise levels at source.
12	Condition No. 12 Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.	A comprehensive green belt has already been developed in ASKCL campus. Total plot area of ASKCL is 48,150 M ² . Industry has developed green-belt to the tune of 33% i.e. 15,890.41 M ² ; where under 1021 Nos. of trees are planted in industrial premises which include trees like <i>Mangifera indica</i> (Mango), <i>Sesbania grandiflora</i> (Shewarie), <i>Derris indica</i> (Karanj), <i>Terminali acatappa</i> (Indian Almond Tree), <i>Polyalthia longifolia</i> (Ashok) etc. which are native, evergreen & pollution resistant species. Plantation around water tank, administration building, avenue plantation, shelter belt plantation, mass plantation & pocket plantation etc. have been done. Details of trees & photographs of greenbelts are enclosed at Annexure - X . The World Environment Day was celebrated on 5 th June, 2022 by carrying out plantation in industry's cart yard area. Indigenous species of plant are preferred for plantation.
13	Condition No. 13 Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak	Safety procedures for High risk zones are defined and implemented, close monitoring on the same is being followed.



No.	Environmental Clearance Conditions	Compliance towards the Conditions Stipulated
	detection devices shall also be installed at strategic places for early detection and warning.	The entire plant operations are through DCS, hence continuously monitored and controlled for all the aspects. Also, Leak detection system (continuous monitoring of formaldehyde) are installed at 4 locations (Tank farm & Unloading area). Periodical calibration and testing are being carried out through third party to ensure the operability. Dedicated staff is hired to carryout daily check on the leak detection system & DCS system.
14	Condition No. 14 Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.	Occupational health surveillance program is done twice in a year and the record of the same are kept on site. The first aid facilities in the occupational health center is strengthened and regular medical test record of each employee is maintained separately. Latest health checkup camp was carried out on 20.06.2022. Reports are enclosed at Annexure - VI . The record of the same is maintained on site.
15	Condition No. 15 The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.	Industry has taken care for all the fire safety hazards at every stage and locations during the installation, also periodical improvement plans are being followed with corporate guidelines and audits from the third party's for it. Industry has installed & provided fire-fighting system infrastructure comprising of fire water lines, fire hydrants, fire extinguishers etc. at all strategic & fire prone areas in the industry chemical storage sections etc. The firefighting arrangements have been provided on site as per Factories Act. Regular firefighting mock drills are conducted to train the workers for fire hazards. Industry is following the safety measures during manufacturing process as well as in materials' handling. Lighting arresters are installed on main building and on godowns. Photographs of fire



No.	Environmental Clearance Conditions	Compliance towards the Conditions Stipulated
		extinguishers are enclosed at Annexure - XI.
16	Condition No. 16 The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/ treatment/ storage/ disposal of hazardous wastes.	The given condition is strictly complied. Authorization from MPCB granted for the same under CTO vide no. Format No. 1.0/CAC/ UAN No.- 0000084763/ CO/2006001180 dated 20.06.2020. Copy of CTO is attached at Annexure – XII. Industry has obtained Membership of CHWTSDF (MEPL-Ranjangaon). The required facilities for storage, handling, transportation and disposal are ensured according to Rules /norms specified by board.
17	Condition No. 17 Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.	Training and Mock drills are conducted for employees working in Industry once in year on safety and health aspects of chemical handling. And improvements notified are updated in the On-site management plans. Photographs of mock drill conducted on 28.09.2022 is enclosed at Annexure – I.
18	Condition No. 18 A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	A separate Environmental Management cell of 17 well - qualified personnel has been established. Details of the same is attached at Annexure – XIII.
19	Condition No. 19 Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These costs shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department	The Company is complying with all the environmental protection measures and safeguards and implement all the recommendations made in EIA/EMP. Industry has allocated Rs. 1 Crores for O & M under EMP. In financial year 2021 & 22, Rs. 25.05 & 27.35 Lakh spent on O & M for EMP. Environmental Management Plan for financial year 2021 & 2022 is attached at Annexure – XIV. EMC will be taking care that the funds are not diverted for any other purpose.



No.	Environmental Clearance Conditions	Compliance towards the Conditions Stipulated
20	<p>Condition No. 20</p> <p>The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in</p>	<p>Industry published newspaper advertisement regarding grant of EC in two local newspapers (Sakal & Punyanagari, Pune Ed.) on 10.12.2020. Copies of Newspaper advertisements are enclosed at Annexure - XV.</p>
21	<p>Condition No. 21</p> <p>Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.</p>	<p>Industry regularly submitted Six monthly reports to Ministry. Six monthly compliance report for period Jan. 2022 to June 2022 was submitted on 27.06.2022. Acknowledgment of the same is enclosed at Annexure - XVI.</p>
22	<p>Condition No. 22</p> <p>A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.</p>	<p>Industry submitted granted EC to respective offices. Also EC is uploaded on industrial website. Acknowledgement is enclosed at Annexure – XVII. & EC letter is available on company's website - www.ask-chemicals.com</p>
23	<p>Condition No. 23</p> <p>The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.</p>	<p>Industry have uploaded & updated all data like EC, Monitoring reports, compliances etc. on industrial website. Screen-shot of website is attached at Annexure – XVII.</p>



No.	Environmental Clearance Conditions	Compliance towards the Conditions Stipulated
24	<p>Condition No. 24</p> <p>The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.</p>	<p>Industry regularly submitted Six monthly reports to Ministry. Six monthly compliance report for period Jan. 2022 to June 2022 was submitted on 27.06.2022. Acknowledgment of the same is enclosed at Annexure - XVI.</p>
25	<p>Condition No. 25</p> <p>The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.</p>	<p>The Environmental Statement (ES) for each financial year ending 31st March in Form-V is submitted w.r.t. existing unit to Maharashtra Pollution Control Board. Latest Environmental statement for FY 2021-22 is submitted on 17.09.2022 is enclosed at Annexure-XVIII.</p>





STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,
Room No. 217, 2nd floor,
Mantralaya, Annexe,
Mumbai- 400 032.
Date: December 4, 2019

To,
Mr. Rajendra Kalbhor through M/s SI Group India Pvt. Ltd.
at E-89, M.I.D.C. Ranjangaon Nagar Road Taluka Shirur Pune- 412220

Subject: Environment Clearance for PROPOSED EXPANSION IN CAPACITY (Increase in production capacity through modernization in Technology) by M/s SI Group India Pvt. Ltd.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 168th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 181st meetings.


2. It is noted that the proposal is considered by SEAC-I under screening category 5 (f)-Synthetic Organic (Category B) as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-

1.Name of Project	PROPOSED EXPANSION IN CAPACITY (Increase in production capacity through modernization in Technology) by M/s SI Group India Pvt. Ltd.
2.Type of institution	Private
3.Name of Project Proponent	Mr. Rajendra Kalbhor through M/s SI Group India Pvt. Ltd.
4.Name of Consultant	NA
5.Type of project	NA
6.New project/expansion in existing project/modernization/diversification in existing project	Expansion/ Modernization
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	Received Environmental clearance vide letter no SEAC-2015/CR-175(I)/TC-2 dated 1st February 2016.
8.Location of the project	E-89, M.I.D.C. Ranjangaon Nagar Road Taluka Shirur Pune- 412220
9.Taluka	Shirur
10.Village	Ranjangaon
Correspondence Name:	Mr. Rajendra Kalbhor
Room Number:	Plot No. E-89, MIDC Ranjangaon, Tal-Shirur, Dist- Pune
Floor:	NA
Building Name:	NA
Road/Street Name:	Ranjangaon MIDC
Locality:	Ranjangaon, MIDC,
City:	Pune
11.Whether in Corporation / Municipal / other area	MIDC Ranjangaon
12.IOD/IOA/Concession/Plan Approval Number	Layout sanction details, MIDC sanctioned layout Vide letter number TB-II/1181/2010 dated 20/05/2010 (Extension of building plan approval, original plan approval No 3648 dated 17/12/2007 and plan approval letter No 2705 dated 07/09/2007. Applied for new sanction for proposed expansion. IOD/IOA/Concession/Plan Approval Number: Layout Sanction letter No.2705 dated 07/09/2007 & 1181 dated 20/05/2010 for extension. Approved Built-up Area: 22147.51
13.Note on the initiated work (If applicable)	Work has been initiated as per MIDC sanctioned and EC received
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	NA

SEIAA Meeting No: 181 Meeting Date: November 15, 2019 (SEIAA-STATEMENT-0000001529)
SEIAA-MINUTES-0000002750
SEIAA-EC-0000002189

Page 1 of 12


Shri. Anil Diggikar (Member Secretary SEIAA)

15.Total Plot Area (sq. m.)	48150
16.Deductions	NA
17.Net Plot area	48150.00
18 (a).Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): 23882.38
	Non FSI area (sq. m.): NA
	Total BUA area (sq. m.): 23882.38
18 (b).Approved Built up area as per DCR	Approved FSI area (sq. m.): 22147.51
	Approved Non FSI area (sq. m.):
	Date of Approval: 20-05-2010
19.Total ground coverage (m2)	12200.19
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	NA
21.Estimated cost of the project	820500000



Government of Maharashtra

SEIAA Meeting No: 181 Meeting Date: November 15, 2019 (
SEIAA-STATEMENT-0000001529)
SEIAA-MINUTES-0000002750
SEIAA-EC-0000002189

Page 2 of 12


Shri. Anil Diggikar (Member Secretary
SEIAA)

22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	synthetic resin	800	1325	2125
2	PF Moulding Powder	350	75	425
3	MF Moulding Powder	50	-	50
4	UF Moulding Powder	25	-	25

23. Total Water Requirement

Dry season:	Source of water	MIDC Ranjangaon
	Fresh water (CMD):	175 (Cooling 35 + Boiler 75 + Domestic 40+ floor & vessel washing 5 + Gardening 20)
	Recycled water - Flushing (CMD):	Recycled water 130 (For Cooling 60 + For Boiler 70)
	Recycled water - Gardening (CMD):	30
	Swimming pool make up (Cum):	0
	Total Water Requirement (CMD) :	335
	Fire fighting - Underground water tank(CMD):	300
	Fire fighting - Overhead water tank(CMD):	NA
	Excess treated water	0
Wet season:	Source of water	MIDC Ranjangaon
	Fresh water (CMD):	155 (Cooling 35 + Boiler 75 + Domestic 40+ floor & vessel washing 5)
	Recycled water - Flushing (CMD):	Recycled water 130 (For Cooling 60 + For Boiler 70)
	Recycled water - Gardening (CMD):	0
	Swimming pool make up (Cum):	0
	Total Water Requirement (CMD) :	285
	Fire fighting - Underground water tank(CMD):	300
	Fire fighting - Overhead water tank(CMD):	NA
	Excess treated water	NA
Details of Swimming pool (If any)	NA	

24.Details of Total water consumed									
Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
Water Requirement	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Domestic	40	0	40	10	0	10	30	0	30
Gardening	50 (Fresh 20 Recycled 30)	0	50	50	0	50	0	0	0
Industrial Process	Vessel washing 5	0	5	0	0	0	5	0	5
Cooling tower & thermopack	Fresh 90 + Recycled 130	Fresh 20 + recycled - consider in existing	240	220	20	240	0	0	0
25.Rain Water Harvesting (RWH)	Level of the Ground water table:	-							
	Size and no of RWH tank(s) and Quantity:	One number of capacity 12 KL							
	Location of the RWH tank(s):	North west corner of the plot							
	Quantity of recharge pits:	NA							
	Size of recharge pits :	NA							
	Budgetary allocation (Capital cost) :	Rs. 30 lakhs (But it include gardening cost)							
	Budgetary allocation (O & M cost) :	Rs. 10 lakhs (But it include gardening cost)							
	Details of UGT tanks if any :	12 KL capacity							
26.Storm water drainage	Natural water drainage pattern:	as per contour							
	Quantity of storm water:	18.27 m3/min. Provided throughout the plant area according to plan.							
	Size of SWD:	As per engineering norms for respective shed/building.							
27.Sewage and Waste water	Sewage generation in KLD:	35							
	STP technology:	MBBR							
	Capacity of STP (CMD):	1 no. 40 KLD							
	Location & area of the STP:	East side if the plot							
	Budgetary allocation (Capital cost):	Rs. 80 lakhs It includes ETP cost too							
	Budgetary allocation (O & M cost):	Rs. 10 lakhs per year It includes ETP cost too							

28.Solid waste Management

Waste generation in the Pre Construction and Construction phase:	Waste generation:	NA
	Disposal of the construction waste debris:	NA
Waste generation in the operation Phase:	Dry waste:	waste paper from domestic activities 100kg/d, Coal ash from boiler 1.5 MT/d
	Wet waste:	44 kg/day
	Hazardous waste:	Containers: 400 Nos./Month ETP sludge:160 Kg/day Waste Residue: 160 kg/day Used/Spent Oil:0.75 KL/Month, Oil & grease skimming residue 0.3 MT/month, Empty bags/hand gloves 3.0 MT/Month, Use cotton waste 120 kg/month
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	10 kg/day
	Others if any:	NA
Mode of Disposal of waste:	Dry waste:	Handed over to authorized vendor
	Wet waste:	Recycled
	Hazardous waste:	Handed over to CHWTSDF
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	Used as manure
	Others if any:	NA
Area requirement:	Location(s):	Near to STP
	Area for the storage of waste & other material:	NA
	Area for machinery:	NA
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	Rs. 1.0 lakhs
	O & M cost:	Rs. 0.10 lakhs/ annum

Government of
Maharashtra

29.Effluent Charecterestics					
Serial Number	Parameters	Unit	Inlet Effluent Charecterestics	Outlet Effluent Charecterestics	Effluent discharge standards (MPCB)
1	pH	Number	3.2-4.5	7.5 to 8.5	6.5-8.5
2	COD	Mg/l	4000-9500	150 to 200	Max. 250
3	BOD	Mg/l	2000-4500	50 to 70	Max. 100
4	TSS	Mg/l	162-180	40 to 60	Max. 100
5	TDS	Mg/l	1250-2000	800 to 1600	--
6	Oil and Grease	Mg/l	5-6	Max. 10	Max.10
Amount of effluent generation (CMD):		35 max (existing),Proposed -25KLD ,Total 60 KLD			
Capacity of the ETP:		60			
Amount of treated effluent recycled :		100 %			
Amount of water send to the CETP:		Nil			
Membership of CETP (if require):		-			
Note on ETP technology to be used		Effluent is sent to ETP and treated up to secondary & tertiary treatment, meeting all MPCB parameters and then transferred to recycling. The sludge generated from ETP is sent to MEPL			
Disposal of the ETP sludge		sent to CHWTSDF			


**Government of
Maharashtra**

30.Hazardous Waste Details							
Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	ETP sludge	34.2	kg/d	80	80	160	Sent to CHWTSDF ,MEPL Ranjangaon
2	Waste Residue	23.1	kg/d	80	80	160	Sent to CHWTSDF ,MEPL Ranjangaon
3	Empty containers	33.1	numbers	200	200	400	sent to CHWTSDF ,MEPL Ranjangaon
4	Oil and Grease skimming residues	35.4	TPM	0.30	0	0.30	sent to CHWTSDF ,MEPL Ranjangaon
5	Empty bags/ hand gloves	33.2	MT/month	2.25	0.75	3.00	sent to CHWTSDF ,MEPL Ranjangaon
6	Used Cotton waste	33.2	kg/month	80	40	120	sent to CHWTSDF ,MEPL Ranjangaon
7	Used spent oil	5.1	kl/month	0.75	0	0.75	sent to CHWTSDF ,MEPL Ranjangaon

31.Stacks emission Details						
Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases
1	boiler	Coal - 9-13 MT/d Or FO 5-7.5 KL/d	1	31	750 mm	200 0C
2	DG	DG set 2 no 320 & 500 kVA	2	9	300mm	405

32.Details of Fuel to be used				
Serial Number	Type of Fuel	Existing	Proposed	Total
1	Coal/FO	Coal - 9-13 MT/d Or FO 5-7.5 KL/d	-	Coal - 9-13 MT/d Or FO 5-7.5 KL/d
Source of Fuel		Authorized Vendors		
Mode of Transportation of fuel to site		by road		

33.Energy		
Power requirement:	Source of power supply :	MSEDCL
	During Construction Phase: (Demand Load)	NA
	DG set as Power back-up during construction phase	NA
	During Operation phase (Connected load):	5000 kW
	During Operation phase (Demand load):	1600 kVA
	Transformer:	NA
	DG set as Power back-up during operation phase:	320 KVA-1 No. & 250 KVA (Existing 250 KVA will be replaced by 500 KVA.)
	Fuel used:	Diesel
	Details of high tension line passing through the plot if any:	NA

34.Energy saving by non-conventional method:
Solar Panels are provided

SEIAA Meeting No: 181 Meeting Date: November 15, 2019 (SEIAA-STATEMENT-0000001529) SEIAA-MINUTES-0000002750 SEIAA-EC-0000002189	Page 7 of 12	 Shri. Anil Diggikar (Member Secretary SEIAA)
--	---------------------	--

36.Detail calculations & % of saving:

Serial Number	Energy Conservation Measures	Saving %
1	LED lights	1 %
2	Occupancy Sensor in Server and Toilet area	0.1 %
3	Solar Power plant	999 KW/Hr

37.Details of pollution control Systems

Source	Existing pollution control system	Proposed to be installed
ETP	35 KLD	25 KLD
STP	35 KLD	-
DG Set	stack	stack
Boiler	Dust collector and scrubber with stack for boiler	stack
ACM	Dust Collector for ACM unit 2 no.	Dust Collector for ACM unit 1 no.
Process Vent	For process vent (kneader)	-

Budgetary allocation
(Capital cost and
O&M cost):

Capital cost:

O & M cost:

-

-

38.Environmental Management plan Budgetary Allocation**a) Construction phase (with Break-up):**

Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1	NA	NA	NA

b) Operation Phase (with Break-up):

Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Environmental Monitoring	Ambient Air quality, Noise Level, Exhaust from DG Set, Drinking Water, Sewage from STP, Effluent from ETP	0	1.00
2	Water	STP/ETP	80.00	10.00
3	Land Environment	Gardening & RWH	30.00	10.00
4	Solid waste	Solid waste management	1.00	0.10
5	Emission control Engineering Stack	-	25.00	5.00
6	Hazardous waste management	waste management	0	25.00

39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Phenol	Liquid	Tank farm area	120 -02 Nos	96	2100	vendors	By road
Formaldehyde	Liquid	Tank farm area	60 -02 Nos	48	1680	vendors	By road
Oxalic Acid	Solid	Common storage area	20	20	15	vendors	By road
Hexamine	Solid	Common storage area	100	100	228	vendors	By road
Methanol	Liquid	-	25	20	25	vendors	By road

40.Any Other Information

SEIAA Meeting No: 181 Meeting Date: November 15, 2019 (SEIAA-STATEMENT-0000001529)
SEIAA-MINUTES-0000002750
SEIAA-EC-0000002189

Page 8 of 12


Shri. Anil Diggikar (Member Secretary SEIAA)



Government of Maharashtra

SEIAA Meeting No: 181 Meeting Date: November 15, 2019 (SEIAA-STATEMENT-0000001529)
SEIAA-MINUTES-0000002750
SEIAA-EC-0000002189

Page 9 of 12


Shri. Anil Diggikar (Member Secretary
SEIAA)

	CRZ/ RRZ clearance obtain, if any:	NA
	Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	NA
	Category as per schedule of EIA Notification sheet	5 (f)-Synthetic Organic (Category B)
	Court cases pending if any	NA
	Other Relevant Informations	The unit has already obtained Environmental clearance vide letter no SEAC-2015/CR-175(I)/TC-2 dated 1st February 2016. Now, the company proposes modernization of existing process thereby increasing production capacities.
	Have you previously submitted Application online on MOEF Website.	No
	Date of online submission	-

3. The proposal has been considered by SEIAA in its 181st meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

I	PP to prepare all safety related training modules in Marathi so as to increase its effectiveness.
II	PP to prepare and implement CER plan in consultation with the District Authority as per OM issued by MoEF&CC dated 01.05.2018.
III	PP to ensure that CER plan get approved from District Collector.
IV	PP to ensure to comply with the conditions stipulated in the Office Memorandum issued by MoEF & CC dated 9th August, 2018.

General Conditions:

I	(i)PP to achieve Zero Liquid Discharge ; PP shall ensure that there is no increase in the effluent load to CETP.
II	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
III	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.
IV	Proper Housekeeping programmers shall be implemented.
V	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.
VI	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).
VII	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
VIII	Arrangement shall be made that effluent and storm water does not get mixed.
IX	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
X	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
XI	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
XII	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XIII	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
XIV	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.
XV	(The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.

XVI	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
XVII	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
XVIII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XIX	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department
XX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in
XXI	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
XXII	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
XXIII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely, SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
XXIV	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
XXV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

Government of Maharashtra

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
5. SECRETARY MOEF & CC
6. IA- DIVISION MOEF & CC
7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
8. REGIONAL OFFICE MOEF & CC NAGPUR
9. MUNICIPAL COMMISSIONER PUNE
10. MUNICIPAL COMMISSIONER SATARA
11. REGIONAL OFFICE MPCB PUNE
12. REGIONAL OFFICE MIDC PUNE
13. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
14. COLLECTOR OFFICE PUNE
15. COLLECTOR OFFICE SATARA
16. COLLECTOR OFFICE SOLAPUR

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/IND3/243335/2021
Environment & Climate Change
Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.
Date: 12.04.2022

To,
ASK CHEMICALS INDIA PVT. LTD.,
E-89, MIDC Ranjangaon,
Pune Nager Road,
Taluka-Shirur, Dist-Pune - 412220

Sub : Transfer of Environmental Clearance granted to ASK CHEMICALS INDIA PVT. LTD. for PROPOSED EXPANSION IN CAPACITY (Increase in production capacity through modernization in Technology located at E-89, M.I.D.C. Ranjangaon Nagar Road Taluka Shirur Pune- 412220

Ref : 1. Your application for transfer of EC- SIA/MH/IND3/243335/2021
2. EC Letter no. SEIAA-EC-0000002189, Dated 04.12.2019.

1. This has reference to your online application vide proposal No. SIA/MH/IND3/243335/2021 in prescribed Form - 7 and other documents for seeking transfer of Environmental Clearance (EC) of the project mentioned in the subject.
2. Mr. Rajendra Kalbhor through M/s SI Group India Pvt. Ltd was granted EC for vide letter dated 04.12.2019 for PROPOSED EXPANSION IN CAPACITY (Increase in production capacity through modernization in Technology located at E-89, M.I.D.C. Ranjangaon Nagar Road Taluka Shirur Pune. Now, you have applied for transfer of EC dated 04.12.2019 from Mr. Rajendra Kalbhor through M/s SI Group India Pvt. Ltd to ASK CHEMICALS INDIA PVT. LTD as you have taken over the quarry under reference.
3. You have submitted following documents in support of your application for transfer of EC-
 - i. Undertaking by transferee regarding acceptance of the terms and conditions in the EC letter dated 04.12.2019.
 - ii. Copy of authorization duly signed by the project proponent in support of the person making this application on behalf of the User Agency.
4. SEIAA noted the above facts and decided to transfer EC dated 04.12.2019 from Mr. Rajendra Kalbhor through M/s SI Group India Pvt. Ltd to ASK CHEMICALS INDIA PVT. LTD.
5. This letter shall be read with the EC letter dated 04.12.2019.
6. All the other terms and conditions mentioned in the EC letter dated 04.12.2019 shall remain the same.


Manisha Patankar-Mhasikar
(Member Secretary)
12/4/2022

Production -2020															
	Consent Limit	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Avg Production	Total Production
Synthetic Resin	2125	790	790	518	5	288	617	664	826	1164	1113	1012	1134	743	8921
PF Moulding Powder	425	248	245	153	0	20	114	178	204	281	301	357	395	208	2496
MF Moulding Powder	50	26	31	10	0	0	0	0	0	0	0	0	0	6	67
UF Moulding Powder	25	0	10	0	0	0	0	0	0	0	0	0	0	1	10
2020	2625	1064	1076	681	5	308	731	842	1030	1445	1414	1369	1529	964	8673



Production -2021															
Name of The product	Consent Limit	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Avg Production	Total Production
Synthetic Resin	2125	971	988	1093	947	938	1201	1325	1344	1208	1152	1124	1146	1120	13437
PF Moulding Powder	425	376	401	363	343	385	380	376	407	362	319	300	327	362	4339
MF Moulding Powder	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UF Moulding Powder	25	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2021	2625	1347	1389	1456	1290	1323	1581	1701	1751	1570	1471	1424	1473	1481	17776



Production -2022															
Name of The product	Consent Limit	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Avg Production	Total Production
Synthetic Resin	2125	1389	1299	1490	1161	1138	992	1226	1196	1165	1082	1508	1307	1246	14953
PF Moulding Powder	425	382	270	269	256	259	288	212	279	258	212	284	226	266	3195
MF Moulding Powder	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UF Moulding Powder	25	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2022	2625	1771	1569	1759	1417	1397	1280	1438	1475	1423	1294	1792	1533	1512	18148

